

HIGH PRESSURE JETTING / CLEANING PUMPS

WSSP range of HP Motorized Jetting / Cleaning Pumps are 1450 or lower speeds and are designed for heavy duty continuous applications.



LIFT STAND MOUNTED



2-WHEEL TROLLEY



ENGINE DRIVEN



FLAME PROOF ENCLOSURE



STAINLESS STEEL WET END



CANOPY PROTECTED

SINGLE PHASE CLEANERS

MODEL	JT 1053	JT 1103	JT 1113	JT 1115	JT 1215
WORKING PRESSURE (Bar)	60	140	170	220	150
WATER FLOW RATE (Litres/min)	25	12	10	10	17
MAX. INLET WATER TEMP. (°C)	60	60	60	60	60
ELECTRIC SUPPLY (V/Hz)	230/50	230/50	230/50	230/50	230/50
ELECTRIC MOTOR (HP/RPM)	3/1450	3/1450	3/1450	5/1450	5/1450
MOUNTING	TROLLEY	TROLLEY	TROLLEY	TROLLEY	TROLLEY
WEIGHT (Kgs)	30	60	60	70	75

STANDARD ACCESSORIES :

- HIGH PRESSURE HOSE 10 METRES LONG WITH SWIVEL COUPLING BOTH ENDS.
- SPRAY GUN ASSEMBLY.
- INLET HOSE 5 METRES LONG.
- LANCE WITH ZERO / V JET NOZZLE.
- MCB / STARTER FOR ON/OFF.
- SUCTION STRAINER.
- PRESSURE GAUGE GLYCERIN FILLED.

OPTIONAL ACCESSORIES :

- TURBO NOZZLE.
- WATER TANK.
- FOAM BOTTLE.
- WATER SAND BLASTING ATTACHMENT.
- TUBE / DRAIN CLEANING FLEXIBLE LANCE.
- TUBE / DRAIN CLEANING BACKWARD / FORWARD NOZZLES.
- HOSE REEL.
- ALL WEATHER CANOPY.

WSSP PUMPS

Plot no. : PAP-R463, Opp. Ultratech RMC Plant, TTC Industrial Area, Rabale MIDC, Navi Mumbai - 400 701. India Web : www.wsspumps.com

Email : wsspec@hotmail.com Contact : (+91) 7039107575

THREE PHASE CLEANERS (UPTO 10 HP)

MODEL	JT 133	JT 135	JT 137.5	JT 235	JT 237.5	JT 2310
WORKING PRESSURE (Bar)	110	200	300	140	200	280
WATER FLOW RATE (Litres/min)	12	12	12	17	17	17
MAX. INLET WATER TEMP. (°C)	60	60	60	60	60	60
ELECTRIC SUPPLY (V/Hz)	415/50	415/50	415/50	415/50	415/50	415/50
ELECTRIC MOTOR (HP/RPM)	3/1450	5/1450	7.5/1450	5/1450	7.5/1450	10/1450
MOUNTING	TROLLEY	TROLLEY	TROLLEY	TROLLEY	TROLLEY	TROLLEY
WEIGHT	55	65	80	65	80	95

THREE PHASE CLEANERS (10 - 25HP)

MODEL	JT 3315A	JT 3315B	JT 4315	JT 3320	JT 5320	JT 3325
WORKING PRESSURE (Bar)	350	320	150	400	150	500
WATER FLOW RATE (Litres/min)	17	21	37	21	60	21
MAX. INLET WATER TEMP. (°C)	60	60	60	60	60	60
ELECTRIC SUPPLY (V/Hz)	415/50	415/50	415/50	415/50	415/50	415/50
ELECTRIC MOTOR (HP/RPM)	15/1450	15/1450	15/1750	20/1450	20/1450	25/1450
MOUNTING	TROLLEY	TROLLEY	TROLLEY	TROLLEY	TROLLEY	TROLLEY
WEIGHT	140	140	140	165	165	195

WSSP PUMPS


Plot no. : PAP-R463, Opp. Ultratech RMC Plant, TTC Industrial Area,
Rabale MIDC, Navi Mumbai - 400 701. India Web : www.wsspumps.com

Email : wsspec@hotmail.com Contact : (+91) 7039107575

ENGINE DRIVEN CLEANERS

MODEL	JTE 3	JTE 5	JTE 7	JTE 9	JTE 11	JTE 22
WORKING PRESSURE (Bar)	110	150	250	200	260	350
WATER FLOW RATE (Litres/min)	10	10	10	17	17	21
MAX. INLET WATER TEMP. (°C)	60	60	60	60	60	60
HONDA ENGINE MODEL	GX120	GX160	GX240	GX340	GX390	GX690
ENGINE (HP/RPM)	3.4/3000	4.8/3000	7/3000	9.5/3000	11/3000	22/3000
MOUNTING	TROLLEY	TROLLEY	TROLLEY	TROLLEY	TROLLEY	TROLLEY
WEIGHT	32	38	48	55	58	85

Line Diagram for High Pressure Cleaner System



WSSP PUMPS

Plot no. : PAP-R463, Opp. Ultratech RMC Plant, TTC Industrial Area,
 Rabale MIDC, Navi Mumbai - 400 701. India Web : www.wsspumps.com

Email : wsspec@hotmail.com Contact : (+91) 7039107575